




THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION SEP ,2005.							LOC J		DIST		REVISIONS								
© COPYRIGHT 2005 By --				ALL RIGHTS RESERVED.											變更								
															P LTR DESCRIPTION			DATE		DWN		APVD	
															F5 REVISED(ADD A NEW PN)			23DEC2015		A.X		H.W	
NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.																							
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.55	—	—	1.1	1.1	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	9—1747981—2									
AVAILABLE	WITH P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITH BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	9—1747981—1									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	14.3	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	8—1747981—2 2—1747981—5									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	CLEAR TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	8—1747981—1									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITH BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	3—1747981—1									
NOT AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	16.3	#4—40 UNC	0.5	10.55	12.75	10.08	2.2	1.8	WITH BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—4									
AVAILABLE	WITHOUT P/N	Au 0.76um MIN	16.3	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—3									
NOT AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	#4—40 UNC	0.5	10.05	12.75	10.08	2.2	1.8	WITHOUT BOSS	HARDTRAY PACKING (—)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—2									
AVAILABLE	WITHOUT P/N	Au 0.76um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—1									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	1.5	1.5	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—8									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	16.3	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—7									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 5)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—6									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	14.3	M3 x 0.5	0.5	10.05	10.95	7.98	1.5	1.5	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—5									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—4									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	#4—40 UNC	0.5	10.05	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—3									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	1.5	1.5	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—2									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—1									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.05	—	—	1.5	1.5	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	1747981—2									
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.05	—	—	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	1747981—1									
TOOL STATUS	PART NUMBER MARKING	CONTACT AREA PLATING SPEC J	DIM H	SCREW SIZE DIM G	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	BOSS	PACKING	CONNECTOR TYPE	PART NUMBER									
1 CONTACT COPLANALITY IS 0.1 MAXIMUM. THIS DIMENSION MEANS CENTER OF THE POCKET. FINISH CONTACT: CONTACT AREA J: SEE TABLE 2μm MIN Sn PLATING ON SOLDERING AREA 2μm MIN Ni UNDER PLATING ALL OVER SHELL: 1μm MIN Sn PLATING ALL OVER 1μm MIN Ni UNDER PLATING ALL OVER										THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Y.HIRATA 15SEP2005 CHK T.KIMURA 15SEP2005 APVD K.IKEGAMI 15SEP2005 PRODUCT SPEC 製品規格 108—78180—1 APPLICATION SPEC 取付適用規格		NAME 名称 HDMI 19 POS RECEPTACLE ASSY SMT TYPE —LEAD FREE— SIZE CAGE CODE DRAWING NO 番号 A300779C—1747981 RESTRICTED TO									
DIMENSIONS: 単位： 耗 mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 0 PLC ± 0.2 1 PLC ± 0.2 2 PLC ± 0.2 3 PLC ± 0.2 4 PLC ± 0.2 ANGLES ± — FINISH 仕上										MATERIAL 材料		WEIGHT		CUSTOMER DRAWING				SCALE 尺度 NTS		SHEET 1 OF 8		REV F5	









LOC		DIST		REVISIONS					
J		/		P		LTR		DESCRIPTION	
				-		SEE SHEET 1		DATE	
								DWN	
								APVD	




NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity							
		CHK									
DIMENSIONS: 単位： 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		NAME 名称							
		0 PLC ± 0.2		HDMI 19 POS RECEPTACLE ASSY SMT TYPE —LEAD FREE—							
		1 PLC ± 0.2									
		2 PLC ± 0.2 ± 0.3		PRODUCT SPEC 製品規格 108-78180-1							
		3 PLC ± 0.2		APPLICATION SPEC 取付適用規格							
		4 PLC ± 0.2		SIZE		CAGE CODE		DRAWING NO 番号		RESTRICTED TO	
MATERIAL 材料		FINISH 仕上		WEIGHT		A3 00779		C-1747981		—	
				CUSTOMER DRAWING							
				SCALE 尺度 NTS				SHEET 5 of 8		REV F5	

LOC J	DIST —	REVISIONS 變更					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



P.C.B LAYOUT
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE
(REFERENCE)



PANEL CUT OUT DIMENSION
(REFERENCE)






CONNECTOR WITHOUT FLANGE TYPE

NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL
OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.


	POLYIMIDE	1	POLYIMIDE TAPE	④
③	COPPER ALLOY	19	CONTACT	③
③	COPPER ALLOY	1	SHELL	②
	THERMOPLASTIC UL94V-0, BLACK COLOR	1	HOUSING	①
FINISH	MATERIAL	QTY	DISCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity									
		CHK											
DIMENSIONS: 単位： 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名称							
		0 PLC ± 0.2		PRODUCT SPEC 製品規格		HDMI 19 POS RECEPTACLE ASSY SMT TYPE -LEAD FREE-							
		1 PLC ± 0.2		108-78180-1									
		2 PLC ± 0.2		APPLICATION SPEC 取付適用規格									
		3 PLC ± 0.2											
4 PLC ± 0.2		ANGLES ± —		SIZE		CAGE CODE		DRAWING NO 番号		RESTRICTED TO			
MATERIAL 材料		FINISH 仕上		WEIGHT		A3		00779		C-1747981		—	
CUSTOMER DRAWING						SCALE 尺度		4:1		SHEET 6 of 8		REV F5	

LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J				SEE SHEET 1	




P.C.B LAYOUT
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE
(REFERENCE)



PANEL CUT OUT DIMENSION
(REFERENCE)



NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL
OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.

	POLYIMIDE	1	POLYIMIDE TAPE	④
③	COPPER ALLOY	19	CONTACT	③
③	COPPER ALLOY	1	SHELL	②
	THERMOPLASTIC UL94V-0, BLACK COLOR	1	HOUSING	①
FINISH	MATERIAL	QTY	DISCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity			
		CHK					
DIMENSIONS: 単位： 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名称 HDMI 19 POS RECEPTACLE ASSY SMT TYPE -LEAD FREE-	
				PRODUCT SPEC 製品規格 108-78180-1			
		APPLICATION SPEC 取付適用規格					
		WEIGHT					
MATERIAL 材料		FINISH 仕上		SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
				A3	00779	C-1747981	—
CUSTOMER DRAWING				SCALE 尺度	NTS	SHEET 7 of 8	REV F5

LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J			-	SEE SHEET 1	-

NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL
OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.



MATING CONDITION (REFERENCE)
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN			
DIMENSIONS: 単位： 耗 mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD			
0 PLC ± 0.2		PRODUCT SPEC			
1 PLC ± 0.2		製品規格			
2 PLC ± 0.2		108-78180-1			
3 PLC ± 0.2		APPLICATION SPEC			
4 PLC ± 0.2		取付適用規格			
ANGLES ± 0.2		WEIGHT			
FINISH 仕上		CUSTOMER DRAWING			
MATERIAL 材料		SCALE 2:1			
		SHEET 8 of 8			
		REV F5			