Part Numbering

Trimmer Potentiometers

●Product ID

Product ID	
PV	Trimmer Potentiometers

2 Series

3Adjustment Direction /Lead Type

Adjustifient Direction/Lead Type					
Code	Series	Code	Adjustment Direction/ Lead Type		
Z2	SMD Open 2mm Size	Α	Тор		
~~	Carbon Resistive Element	R	Rear		
A2	SMD Open 2mm Size	Α	Тор		
		Α	Тор		
Z 3	SMD Open 3mm Size	G	Тор		
Carbo	Carbon Resistive Element	Н	Тор		
		K	Rear		
G3 SM	SMD Sealed 3mm Size	Α	Top, J-hook		
	SIMD Sealed Sillin Size	G	Top, Gull-wing		
M4	SMD Sealed 4mm Size	Α	Тор		
G5	SMD Sealed 5mm Square	Α	Тор		
as	11 turns	Н	Side		
32	Lead Sealed 6mm Round	Н	Top, Triangle		
02	Single turn	N	Side, Triangle		
12 Lead	Lead Sealed 7mm Round	Р	Top, Triangle		
	4 turns	Т	Side, Triangle		
36 Le	Lead Sealed 10mm Square	W	Top, Inline		
	25 turns	X	Side, Inline		
37	Lead Sealed 6mm Square	W	Top, Triangle		
01	12 turns	X	Side, Triangle		

4Total Resistance

Expressed by three figures. The unit is ohm. The first and second figures are significant digits, and the third figure expresses the number of zeros that follow the two figures.

Ex.)	Code	Total Resistance
	100	10 Ω
	102	1000Ω
	104	100000 Ω (=100k Ω)

5Individual Specification

Series	Code	Individual Specification Code	
PVA2	A01	A01 Standard Type	
PVZ2	C04	Standard Type (High-heat Resistance Type/Ultra-thin Type)	
	C01	Standard Type (High-heat Resistance Type/Top Adjustment)	
PVZ3	F01	High Characteristic Carbon Type (only PVZ3G)	
	E01	High-heat Resistance Type (for Rear Adjustment)	
D)////	C01	Standard Type	
PVM4	D01	High-reliability Type	
PV32/PV12	A01	Standard Type	
PVG3/ PV36/PV37	C01	Standard Type	
PVG5	C03	Standard Type	

6 Packaging

G. asiaging				
Code	Packaging			
B00	Bulk			
R00	Reel			