

PRODUCT DRAWING

CUSTOMER NO.:

FILENAME:

REVISION:

DRAWING OF TI11123

ORIGINAL DATE: 26 NOV 2003

TOTAL PAGES: 4

INITIATE

REVISE

EFFECTIVE DATE:

REVISIONS

REV	DESCRIPTION	DATE


ORIGINATOR

DESIGN MGR.



Please sign and fax back this page to confirm this drawing.
Please indicate if you need samples.

Authorized Signatures




15.31




3.00

Тариф

REV

Designed by:		TI11123	
Checked by:			
Approved by:			Unit: mm
Filename:			Sheet: 2 OF 4

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
COM1	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	10A	10B	11A	11B
COM2	4F	4G	5F	5G	6F	6G	7F	7G	8F	8G	10F	10G	11F	11G
COM3	4E	4C	5E	5C	6E	6C	7E	7C	8E	8C	10E	10C	11E	11C
COM4	4D	S5	5D		6D	S6	7D	P3	8D	K	10D	B	11D	T
PIN	15	16	17	18	19	20	21	22	23	24	25	26	27	28
COM1		9B	9A	P2		3D	⚠	2D	S1	1D				COM1
COM2	☐	9G	9F	S4	3B	3E	2C	2E	1C	1E			COM2	
COM3	P	9C	9E	S3	3G	3F	2G	2F	1G	1F		COM3		
COM4	A	P1	9D	S2	3C	3A	2B	2A	1B	1A	COM4			



REV


Designed by:

Checked by:

Approved by:

Filename:

TI11123



Unit: mm

Sheet: 3 OF 4

A. Dimensions:

1. Length of top glass:
70.00±0.20 mm

Width of top glass:
30.00±0.20 mm

2. Length of bottom glass:
70.00±0.20 mm

Width of bottom glass:
35.00±0.20 mm

3. Thickness of LCD(max):
2.85 mm

4. Thickness of glass:
Top: 1.10 mm
Bottom: 1.10 mm

5. Length of viewing area:
Horizontal: 66.00 mm
Vertical: 25.00 mm

B. Display specification:

1. Duty: 1/4

2. Bias: 1/3

3. Operating voltage: 3.0 V

4. Viewing angle: 6:00

5. Temperature:
Operating: -25 TO +60°C

Storage: -35 TO +70°C

6. Polarizer:
Top: TRANSMISSIVE



Bottom: REFLECTIVE

7. End seal: LEFT

8. Length of pin: 16.00 mm

Pitch of pin: 2.54 mm

REV

Designed by:		TI11123	
Checked by:			
Approved by:		 	Unit: mm
Filename:			Sheet: 4 OF 4